
Infant Feeding CACFP: Part One One hour Training



Growing Futures Approved One hour Training

Directions:

Read chapters 1, 2 and 3 in the Feeding Infants book provided by SENDCAA before completing the attached quiz. Quiz must be completed and submitted to SENDCAA to earn the training credit.

Your training will be submitted to Growing Futures after you have completed the quiz and qualified for the training credit. We are no longer issuing certificates for completed training. You can log into Growing Futures and check your profile for your training hours. Go to www. ndgrowingfutures.org/ and choose the "training" tab. All of your trainings will appear, beginning with the most recent.

This training is only available to participating SENDCAA providers and their child care employees.

Return completed quiz to: SENDCAA CACFP

3233 S. University Drive Fargo, ND 58104

Or email to: sharlao@sendcaa.org



USDA is an equal opportunity provider and employer

| ivame | e Growing Futures number | |
|--------|--|------------------|
| Telep | phone number Email | |
| Provid | ider's name, if an employee | |
| | | |
| Chap | oter 1: Giving babies a healthy start with the CACFP | |
| 1. | Feeding infants "on demand" means feeding infants on a set schedule. | |
| | a. True | |
| | b. False | |
| 2. | A mother breastfeeds her 3 month old infant before she brings him to child care. | le is asleep |
| | when he arrives at 8 a.m. You did not offer him breakfast, since he was asleep. A | t 10:15 a.m. he |
| | shows signs of hunger. The breakfast meal can be claimed if you offer the infant | to 6 ounces of |
| | breastmilk? | |
| | a. True | |
| | b. False | |
| 3. | Please list three important things you should discuss with parents regarding their | infant's eating |
| | habits. | |
| | a | |
| | b | |
| | c | |
| 4. | What page number in the Infant Feeding book has an infant daily activity chart the | at can be shared |
| | with parents? | |
| 5. | At your Child Care, do you provide an infant daily activity chart to the parents? | |
| 6. | Crying is an early sign of hunger for infants. | |
| | a. True | |
| | b. False | |
| 7. | Responsive feeding means that you feed an infant when he or she shows signs o | f being hungry |
| | and stop feeding when the baby shows signs of being full. | |
| | a. True | |
| | b. False | |
| 8. | Please list 3 hunger signs in infants. | |
| | a | |
| | b | |
| | c | |
| 9. | A meal is reimbursable if a mother breastfeeds her infant at your Child Care. | |
| | a. True | |

b. False

| 10. | "Rooting" is when an infant's mouth, lips, cheek, or chin are touched by an object, the infant turns | | | | |
|-----|--|--|--|--|--|
| | his or he | er head towards the object and open his or her mouth. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 11. | What is | the Palmar grasp? | | | |
| 12. | What page in chapter 1 has a handout to share with parents regarding when to start solid | | | | |
| | foods?_ | | | | |
| 13. | Please | list two developmental signs that an infant is ready to eat solid foods. | | | |
| | a. | | | | |
| | b. | | | | |
| 14. | Many, but not all, infants show signs that they are developmentally ready for solid foods at around | | | | |
| | 6 month | ns. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 15. | What pa | age in chapter 1 of the Feeding Infants book has a handout for parents to complete | | | |
| | regardir | ng which foods the infant has had at home? | | | |
| | | | | | |
| 16. | | form you would provide to your Child Care Parents? Why or Why | | | |
| | not? | | | | |
| | | | | | |
| 17. | There a | re two infant age groups under the CACFP infant meal pattern. They are: | | | |
| | a. | Birth through 5 months and 6 months through 13 months | | | |
| | b. | Birth through 8 months and 9 months through 11 months | | | |
| | C. | Birth through 5 months and 6 months through 11 months | | | |
| | d. | Birth through 4 months and 5 months through 12 months | | | |
| 18. | If a 6 m | onth old baby has breastmilk at 8 am and infant cereal and fruit at 9:30, this meal cannot | | | |
| | be clain | ned. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 19. | If a 6 m | onth old infant is developmentally ready for solids, a fruit or a vegetable is required at | | | |
| | breakfa | st, lunch and snack. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 20. | What fo | ods are required at snack for a 7 month old that is developmentally ready to have solids? | | | |
| | | | | | |
| 21. | Infant fo | ormula and dry infant cereal does not need to be iron-fortified. | | | |
| | a. | True | | | |
| | b. | False | | | |
| | | | | | |

| 22. | In the Child and Adult Care Food Program, an infant should start eating solid foods… |
|-----|--|
| | a. The day the infant turns 6 months old. |
| | b. When the infant turns 8 months old. |
| | c. When the parents tell you their infant is developmentally ready. |
| | d. None of the above |
| 23. | Parents can provide one food component that meets the infant meal pattern requirements. |
| | a. True |
| | b. False |
| 24. | A mother brings sweet potatoes for her 8 month old infant to have at lunch. The infant is |
| | developmentally ready for solids. As the child care provider, what foods do you need to offer at |
| | lunch to claim reimbursement? |
| • | ter 2: Feeding the Breastfed Baby: Please read and review chapter 2 and er the questions below. |
| | |
| 25. | Mother's breastmilk changes as the infant grows and changes. |
| | a. True |
| | b. False |
| 26. | It is important for infants ages birth to 6 months to have water. |
| | a. True |
| | b. False |
| 27. | Putting infant cereal in the infant bottle will help the infant sleep better at night. |
| | a. True |
| | b. False |
| 28. | Breastfed babies have fewer stomach problems like diarrhea. |
| | a. True |
| | b. False |
| 29. | What page in the handbook has a form to provide to the parents to share about their |
| | breastfeeding infant? |
| 30. | Breastfed infants usually eat every 1 1/2 to 3 hours in the first few months. |
| | a. True |
| | b. False |
| 31. | The bowel movements of breastfed infants are usually darker and firmer than formula fed infant's |
| | bowel movements. |
| | a. True |
| | b. False |
| 32. | It is normal for older breastfed infants to have fewer bowel movements and even go for days |
| | without one. |
| | a. True |
| | b. False |

| | b. | False | | | |
|--------|--|---|--|--|--|
| 34. | If a mo | ther breastfeeds her 10 month old infant at your Child Care, you may claim the meal as | | | |
| | long as | s you provide all other required food components. | | | |
| | a. | True | | | |
| | b. | False | | | |
| | | | | | |
| Chapt | er 3: F | Feeding the Formula-Fed Baby: Please read and review chapter 3 in | | | |
| the Fe | eding | Infants book and answer the questions below. | | | |
| | | | | | |
| 35. | CACFF | P Child Care Providers must offer at least 2 iron-fortified infant formulas. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 36. | All infa | nt formulas offered at your Child Care must be FDA approved. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 37. | Child C | Care providers can claim an infant formula purchased online from Europe. | | | |
| | a. | True | | | |
| | b. | False | | | |
| 38. | The inf | ant's parents may decide to: (circle all that apply) | | | |
| | a. | Provide breastmilk and supplement with their own iron-fortified infant formula. | | | |
| | b. | Provide breastmilk and supplement with the iron-fortified infant formula the provider provides. | | | |
| | C. | Decline the offered iron-fortified infant formula and bring their own infant formula. | | | |
| | d. | Provide their own non-iron fortified formula. | | | |
| | e. | Provide only breastmilk. | | | |
| 39. | What p | age has a form for parents to complete regarding information on their infant formula | | | |
| | feeding | 9? | | | |
| 40. | Would | you utilize this form at your Child Care? Why or Why | | | |
| | not? | | | | |
| | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | |
| 41. | To be o | considered iron-fortified, an infant formula must have mg of iron or more per 100 | | | |
| | calories when prepared using the label directions. | | | | |
| | a. | 5 | | | |
| | b. | 4 | | | |
| | C. | 1 | | | |
| | d. | 2 | | | |
| | | | | | |

33. Breastmilk may be served in place of fluid milk for children over one year of age and older.

a. True

| | a. | True | | | | |
|---|---|--|--|--|--|--|
| | b. | False | | | | |
| 43. | 43. What is lactose intolerance? | | | | | |
| 44. | 44. Lactose intolerance is very rare in healthy babies. | | | | | |
| | a. | True | | | | |
| | b. | False | | | | |
| 45. | These | infant formulas are CACFP creditable (circle all that apply) | | | | |
| | a. | Lactose free iron fortified formula | | | | |
| | b. | Soy based iron fortified formula | | | | |
| | C. | Low iron fortified formula | | | | |
| | d. | Low lactose iron fortified formula | | | | |
| 46. | Low iro | on infant formula can be offered at a Child Care if: | | | | |
| | a. | A parent requests a low iron formula | | | | |
| | b. | The infant is older than 10 months. | | | | |
| | C. | If the infant has a weekly sirloin steak. | | | | |
| | d. | The parent has a signed medical statement by a healthcare provider. | | | | |
| 47. | If a par | ent has a medical statement from a health care provider, the statement must provide | | | | |
| information of (circle all that apply) | | | | | | |
| | a. | The formula to be avoided | | | | |
| | b. | An explanation on how the avoided infant formula affects the infant. | | | | |
| | C. | A signature of an eligible healthcare provider in the state of North Dakota. | | | | |
| | d. | The cost of the infant formula that will be provided. | | | | |
| 48. Please list 4 milks that aren't recommended for | | | | | | |
| | infants. | | | | | |
| | | | | | | |
| | | | | | | |
| 49. | An infa | nt at your Child Care turns 13 months old and is still drinking iron fortified formula instead | | | | |
| of whole milk. A provider can continue to give the infant iron fortified infant formula without | | | | | | |
| | medical statement. | | | | | |
| | a. | True | | | | |
| | b. | False | | | | |

42. Studies have shown that iron-fortified formula does cause stomach issues in infants.

Thank You!